metpro

PRODUCT CODE: RT150
ROLLATRAY

DESCRIPTION

150mm x 15mtr Rollatray

FINISH

Self Colour with protective dry-to-touch oil coating

MATERIAL

Pre-Galvanised Steel

PACKAGING

Supplied individually

ADDITIONAL NOTES

Offers over 90% labour saving
Simple bends, tees & 4 ways; simply cross over units and secure with M6 screw
Flexible fixing arrangement with Rollatray's innovative raised nipples and snail form thread

Ø 6 THROUGH HOLES TYPICAL

30   60 TYP.

Rollatray

150

60

Rollatray

M6 TYPICAL

60   120 TYPICAL

4
2.4
0.8
15 METERS

Values are nominal and with a general tolerance ±5% unless otherwise specified

metpro

PRODUCT CODE: RT300
ROLLATRAY

DESCRIPTION

300mm x 15mtr Rollatray

FINISH

Self Colour with protective dry-to-touch oil coating

MATERIAL

Pre-Galvanised Steel

PACKAGING

Supplied individually

ADDITIONAL NOTES

Offers over 90% labour saving
Simple bends, tees & 4 ways; simply cross over units and secure with M6 screw
Flexible fixing arrangement with Rollatray's innovative raised nipples and snail form thread

30 | 60 TYP.

60 TYP.

300

M6 TYPICAL

60 | 120 TYP.

Ø 6 THROUGH HOLES TYPICAL

4
2.4
0.8

15 METERS

Values are nominal and with a general tolerance ±5% unless otherwise specified

RT450
DATA SHEET

PRODUCT CODE: RT450
ROLLATRAY

DESCRIPTION

450mm x 15mtr Rollatray

FINISH

Self Colour with protective dry-to-touch oil coating

MATERIAL

Pre-Galvanised Steel

PACKAGING

Supplied individually

ADDITIONAL NOTES

Offers over 90% labour saving
Simple bends, tees & 4 ways; simply cross over units and secure with M6 screw
Flexible fixing arrangement with Rollatray's innovative raised nipples and snail form thread

60 TYP.
30
Ø 6 THROUGH HOLES TYPICAL
Rollatray
60 TYP.
450
M6 TYPICAL
60
120 TYPICAL
Rollatray
A
15 METERS

2.4
4
0.8
DETAIL A

Values are nominal and with a general tolerance ±5% unless otherwise specified